



# STORAGE SPACE SYSTEMS

**NEW.** Berry tool sheds and Berry firewood racks

**HÖRMANN**





4

Good reasons to try  
Hörmann storage  
space systems.



12

Inspirations.



30

Design.  
Equipment.  
Accessories.

# Responsibility for generations

The Hörmann family business has over 85 years of experience as a construction component specialist. This gives us an obligation to both past, current and future generations. That's why environmental responsibility plays such an important role for us. With this in mind, we develop innovative solutions for sustainable products and intelligent environmental protection.



## “A GOOD REPUTATION MUST BE EARNED.”

August Hörmann

In keeping with the tradition started by the company’s founder, the Hörmann brand is a true promise of quality and is one of Europe’s most successful suppliers in the area of construction components. Due to the comprehensive international sales and service network, Hörmann is your strong partner for high-quality construction components.

Only from Hörmann

### 100 % CLIMATE-NEUTRAL STORAGE SPACE SYSTEMS.

Hörmann is setting a good example: In Germany, 100 % of our energy needs come from green electricity. Together with an intelligent and certified energy management system, CO<sub>2</sub>-neutral mailing and the recycling of valuable materials, more than 40000 tons of CO<sub>2</sub> are saved each year. We also offset unavoidable emissions in the production of our storage space systems 100 % by promoting reforestation projects in cooperation with ClimatePartner. All Hörmann storage space systems feature the “climate-neutral” label.



Further information can be found at:  
[www.hoermann.de/umwelt](http://www.hoermann.de/umwelt)



# Brand quality made in Germany



In addition to all major elements for building and renovating projects, the family-owned company Hörmann also offers innovative storage space systems from a single source. We manufacture in highly specialised factories using state-of-the-art production technologies. Our employees work intensively on new products, continual further developments and improvements to details. The results are patents and unique products on the market.





20-year  
warranty \*

**LONG-LASTING. GUARANTEED.** All major storage space system components are developed and manufactured by Hörmann. Endurance tests under real conditions ensure mature series products with Hörmann quality. Thanks to this and uncompromising quality assurance, you receive a 20-year warranty on all Hörmann Berry tool sheds and Berry firewood racks.

\* The complete warranty conditions can be found at: [www.hoermann.com](http://www.hoermann.com)

### **CERTIFIED SAFETY FOR YOU AND YOUR FAMILY.**

Hörmann storage space systems offer the highest quality and safety. To achieve this, all tool sheds and firewood racks are made of a powder-coated, hot-galvanised sheet steel. Without any sharp edges and with high-quality doors, locks and hinges. This provides you and your family with safety during daily use.



# The compelling advantages of metal storage space systems

Tool sheds or firewood racks made of metal offer many advantages over wooden sheds. They are not combustible and do not warp. Thanks to the hot-galvanised sheet steel, they are low-maintenance and resistant to both weather and mould. The steel used consists of 25 % recycled material. The tool sheds and firewood racks are 100 % reusable.





**ROBUST CONSTRUCTION.** The high stability of the storage space systems is achieved by a steel frame construction and a higher material thickness than is usual on the market (up to 1.5 mm). All bolts and hinges are galvanised and thus protected against oxidation. The tool sheds are equipped with reliable door locks and high-quality hinges as standard. To ensure that valuable objects such as e-bikes can be parked even more securely, the locking system can optionally be retrofitted with a cylinder lock.

**IN ALL KINDS OF WEATHER.** With the door closed and fixed to the foundation, Hörmann tool sheds can withstand wind speeds of up to 150 km/h and a snow load of 150 kg/m<sup>2</sup>.

Fixing the aluminium bottom frame profile to paving stones (fixing example)

**Only from Hörmann**

With aluminium bottom frame as standard:  
Protection against rust and more stability



COVER PAGE. Berry tool shed  
Classic pent roof, RAL 5014 Pigeon blue,  
size: type 1, double-leaf version


PAGE 2. BERRY TOOL SHED  
Modern pent roof, RAL 7016 Anthracite grey,  
size: type 2, single-leaf version

LEFT. Berry tool shed  
Classic pent roof, RAL 3004 Purple red,  
size: type 2, double-leaf version

# With great attention to detail

All Hörmann storage space systems are developed with attention to details and everyday functionality. Thanks to the high quality and robust construction, you will enjoy your tool shed or firewood rack from Hörmann for a long time. Treat yourself to the wide range of storage space systems and matching comfort down to the last detail.





## Only from Hörmann

Quick and easy fitting

### QUICK AND EASY FITTING.

All Hörmann storage space systems are delivered with a maximum degree of prefabrication. The appropriate tools are also included in the scope of delivery. This makes for quick and easy assembly and fitting.

**MATCHING PERFECTLY.** For a uniform and harmonious appearance, the firewood racks and tool sheds can be made to match. The firewood racks match the tool sheds perfectly in terms of height.

→ All information on the firewood racks can be found from page 24.



## Only from Hörmann

Hinges matching the shed colour

At Hörmann, the door hinges are supplied matching the shed colour.

**DOORS HELD OPEN.** The standard door opening limiter prevents the door from slamming against the tool shed in an uncontrolled manner. With the optional gas springs, doors are stopped smoothly, closed automatically or held open. Tool sheds with double-leaf door have a hold-open device.



TOP: Berry tool shed Classic gable roof,  
size: type 2, single-leaf version



# Berry tool sheds



16 Modern pent roof



18 Modern gable roof




20 Classic pent roof




22 Classic gable roof

# Berry firewood racks



26 Modern



28 Classic





# Modern style with pent roof

PAGE 14/15. RAL 7016 Anthracite grey, size: type 1,  
double-leaf version

RIGHT. RAL 6013 Reed green, size: type 2,  
single-leaf version

BOTTOM. Bicycle rack accessories







**ATTRACTIVE AND CONVENIENT.** With its wide sections, the Berry tool shed Modern pent roof has an elegant appearance. The acrylic glass transom light provides for natural light. Thanks to the high-quality materials, you will enjoy your Hörmann tool shed for a long time.

→ For all designs and details, see from page 30.



**OUR RECOMMENDATION.** All doors can be optionally equipped with gas springs – for controlled opening and closing. This way, the doors are stopped smoothly, closed automatically or held open. This is really convenient when taking objects in and out of the shed!

→ Additional accessories can be found from page 40.



# Modern style with gable roof



LEFT. RAL 9007 Grey aluminium, size: type 3, double-leaf version

BOTTOM. Mechanical hold-open device with gas spring accessories



# Classic style with pent roof

**TIMELESS AND ELEGANT.** The Berry tool shed Classic pent roof is characterised by narrow, vertical slats – a design that combines style and shape in a timeless manner. The acrylic glass transom light provides for natural light.

→ For all designs and details, see from page 30.





LEFT. RAL 7039 Quartz grey,  
size: type 1, double-leaf version

TOP RIGHT. RAL 5014 Pigeon blue,  
size: type 1, double-leaf version,  
with optional aluminium LED magnetic lamp

BOTTOM RIGHT. Trellis accessories



**ACCESSORIES.** The tool sheds offer sufficient storage space and come in three different dimensions. From garden tools to bicycles – everything can be optimally stored. The many accessory options such as corner shelf, fold-up table or bicycle rack provide plenty of space and keep things tidy.

→ Additional accessories can be found from page 40.

# Classic style with gable roof



LEFT. RAL 7040 Window grey,  
size: type 2, double-leaf version

BOTTOM LEFT. Drainpipe accessories in RAL colour of tool shed

BOTTOM RIGHT. Exterior threshold ramp accessories









# Modern style



PAGE 24 / 25. RAL 7039 Quartz grey,  
size: type 2, with cross strut,  
Classic style

TOP RIGHT. RAL 7016 Anthracite grey,  
size: type 1, with rear wall





**PROTECTED AND AT HAND.** The Berry firewood rack Modern is made of hot-galvanised, dimensionally stable sheet steel and is therefore practically maintenance-free. The practical storage unit is available in two styles and two sizes. It can be used to store wood, protecting it against all adverse weather effects.

→ Available with standard cross strut or optional rear wall. For further information, see from page 30.



**MANY COLOURS TO CHOOSE.** In addition to the two styles Classic and Modern, Berry firewood racks can be configured in nine standard colours, the Golden Oak decor and optionally in RAL to choose. Firewood racks can be optimally matched with Berry tool sheds not only in terms of colour, but also height. In the summer, the racks can be used to store garden furniture, the barbecue or garden tools, for example.

→ All colour options can be found on page 38.



# Classic style

LEFT. RAL 5014 Pigeon blue,  
size: type 1, with rear wall






32



38



40



# Design. Equipment. Accessories.

32 Berry tool sheds with pent roof

34 Berry tool sheds with gable roof

36 Berry firewood racks

38 Colours and decors

39 Only from Hörmann

40 Accessories

42 Maximum prefabrication

43 Foundation

# Berry tool sheds with pent roof

Styles and types



1 Modern style  
2 Classic style

## Advantages

- Integrated acrylic glass transom light for natural light in interior
- Elegant eaves
- Quick and easy fitting thanks to maximum degree of prefabrication
- Stability thanks to steel frame construction and high material thickness
- Aluminium bottom frame included in the price
- Two different styles can be selected: Classic and Modern
- Low-maintenance and weather-resistant
- Barely visible bolts
- Convenient passage height and wide doors
- Reliable door locks and high-quality hinges
- Without sharp edges and therefore particularly child-proof
- Extremely robust and dimensionally stable
- Door handing possible on the left or right – for tool sheds without window in the door

## Double doors



All Berry tool sheds can be optionally equipped with a double-leaf door for a wider clear passage width.

## Glazings



Glazing elements can be integrated at a surcharge. The glazing frames are white as standard. Optionally, the frames are available in a RAL colour\* matching the tool shed as well as in RAL to choose.

\* See page 40





**Type 1**



**Type 2**



**Type 3**

**Dimensions / technical data**

External dimensions of wall elements (width x depth)	2380 x 1078 mm	2380 x 2380 mm	3028 x 2380 mm
Overall height with pent roof	2286 mm	2323 mm	2323 mm
Gross floor area*	5.5 m <sup>2</sup>	12.2 m <sup>2</sup>	15.5 m <sup>2</sup>
External dimensions with pent roof (width x depth)	2479 x 1530 mm	2479 x 2834 mm	3127 x 2834 mm
External dimensions bottom frame (width x depth)	2345 x 1043 mm	2345 x 2345 mm	2993 x 2345 mm
External dimensions foundation (width x depth)	2445 x 1140 mm	2445 x 2445 mm	3090 x 2445 mm
Door set height	1980 mm	1980 mm	1980 mm
Clear passage width for single-leaf doors	969 mm	969 mm	954 mm
Clear passage width for double-leaf doors	1596 mm	1596 mm	1596 mm
Clear passage height	1940 mm	1940 mm	1940 mm
Wind load	150 km/h	150 km/h	150 km/h
Snow load	150 kg/m <sup>2</sup>	150 kg/m <sup>2</sup>	150 kg/m <sup>2</sup>

\* Please consult the local building regulations.

**Standard colours**

9 standard colours and RAL to choose possible




Golden Oak decor Only possible with the Modern style



# Berry tool sheds with gable roof

Styles and types



## Advantages

- Quick and easy fitting thanks to maximum degree of prefabrication
- Stability thanks to steel frame construction and high material thickness
- Aluminium bottom frame included in the price
- Two different styles can be selected: Classic and Modern
- Low-maintenance and weather-resistant
- Barely visible bolts
- Convenient passage height and wide doors
- Reliable door locks and high-quality hinges
- Without sharp edges and therefore particularly child-proof
- Extremely robust and dimensionally stable
- Door handing possible on the left or right – for tool sheds without window in the door

## Double doors



All Berry tool sheds can be optionally equipped with a double-leaf door for a wider clear passage width.

## Glazings



Glazing elements can be integrated at a surcharge. The glazing frames are white as standard. Optionally, the frames are available in a RAL colour\* matching the tool shed as well as in RAL to choose.  
\* See page 40



**Type 1**



**Type 2**



**Type 3**

**Dimensions / technical data**

External dimensions of wall elements (width x depth)	2380 x 1078 mm	2380 x 2380 mm	3028 x 2380 mm
Overall height with pent roof	2160 mm	2160 mm	2194 mm
Gross floor area*	5.2 m <sup>2</sup>	11.8 m <sup>2</sup>	15.1 m <sup>2</sup>
External dimensions with pent roof (width x depth)	2588 x 1213 mm	2588 x 2477 mm	3236 x 2477 mm
External dimensions bottom frame (width x depth)	2345 x 1043 mm	2345 x 2345 mm	2993 x 2345 mm
External dimensions foundation (width x depth)	2445 x 1140 mm	2445 x 2445 mm	3090 x 2445 mm
Door set height	1980 mm	1980 mm	1980 mm
Clear passage width for single-leaf doors	969 mm	969 mm	954 mm
Clear passage width for double-leaf doors	1596 mm	1596 mm	1596 mm
Clear passage height	1940 mm	1940 mm	1940 mm
Wind load	150 km/h	150 km/h	150 km/h
Snow load	150 kg/m <sup>2</sup>	150 kg/m <sup>2</sup>	150 kg/m <sup>2</sup>

\* Please consult the local building regulations.

**Standard colours**

9 standard colours and RAL to choose possible




Golden Oak decor Only possible with the Modern style



# Berry firewood racks

Styles and types



## Advantages

- Wood storage possible in two rows, space for up to 3 cubic metres or 5 bulk cubic metres of wood
- Matching Berry tool sheds perfectly
- Quick and easy fitting thanks to maximum degree of prefabrication
- Stability thanks to steel frame construction and high material thickness
- Two different styles can be selected: Classic and Modern
- Aluminium bottom frame included in the price
- Low-maintenance and weather-resistant
- Without sharp edges and therefore particularly child-proof
- Extremely robust and dimensionally stable

## Cross strut and rear wall



Classic style with cross strut as standard



Classic style with optional rear wall



Modern style with optional rear wall

The firewood racks are available open with cross strut as standard and optionally with a rear wall. Please note: The rear wall of the firewood racks has the same Classic rear wall for both styles.



**Type 1**



**Type 2**

**Dimensions / technical data**

External dimensions bottom frame (width x depth)	1195 x 807 mm	1782 x 807 mm
External dimensions foundation (width x depth)	1300 x 910 mm	1882 x 910 mm
Internal dimensions firewood rack (width x depth)	1027 x 807 mm	1714 x 807 mm
External dimensions firewood rack (width x depth)	1127 x 1025 mm	1814 x 1025 mm
Door set height	1780 mm	1780 mm
Overall height	1980 mm	1980 mm
Volume (without roof)	1.5 m <sup>3</sup>	2.3 m <sup>3</sup>
Wood storage cubic metres	approx. 2 cubic metres	approx. 3 cubic metres
Wood storage bulk cubic metres	approx. 3.5 bulk cubic metres	approx. 5 bulk cubic metres

**Standard colours**

9 standard colours  
and RAL to choose possible



Golden Oak decor  
Only possible with the Modern style



# Colours and decors

It's your choice

## 9 standard colours




1



2



3



4




5



6



7



8



9

### Standard colours

- 1 RAL 9006 White aluminium
- 2 RAL 7040 Window grey
- 3 RAL 9007 Grey aluminium
- 4 RAL 7039 Quartz grey
- 5 RAL 5014 Pigeon blue
- 6 RAL 3004 Purple red
- 7 RAL 6013 Reed green
- 8 RAL 6005 Moss green
- 9 RAL 7016 Anthracite grey

### Decograin decor

- 10 Golden Oak: medium brown, golden yellow oak decor (only for tool sheds and firewood racks with Modern style)

### RAL to choose

Hörmann storage space systems are available in all RAL colours for a surcharge.

### Please note:

The Golden Oak decor is available for a surcharge for tool sheds as well as firewood racks with the Modern style. Storage space systems with this decor are white on the interior.

## Decograin decor



10



## Only from Hörmann

### 1 Including aluminium bottom frame

Unlike conventional tool sheds, the aluminium bottom frame is already included with Hörmann tool sheds as well as firewood racks. The frame offers stability and protects against the weather and corrosion.

### 2 RAL to choose

Hörmann tool sheds and firewood racks are available in all RAL colours for a surcharge.

### 3 Material thickness up to 1.5 mm

Strong material thicknesses of up to 1.5 mm are used for optimum safety and long-lasting quality.

### 4 Door hinges in shed colour

The door hinges of Hörmann tool shed doors are always supplied in the shed colour. In this way, the sheds retain their attractive, elegant appearance.

### Quick and easy fitting

All Hörmann storage space systems are delivered with a maximum degree of prefabrication. The appropriate tools are also included in the scope of delivery. This makes for quick, easy and uncomplicated assembly and fitting.

# Accessories

For exterior

All Berry tool sheds can be easily and individually expanded both on the inside and outside. With our practical accessories, you can customise the tools shed according to your wishes.



**Trellis**  
Size 1: 973 × 1950 mm  
Size 2: 2275 × 1950 mm



**Mechanical hold-open device with gas spring**



**Stainless steel lever handle set,  
profile cylinder not included**



**Threshold ramp (exterior)**  
For single-leaf tool sheds: 1090 × 40 mm  
For double-leaf tool sheds: 1720 × 40 mm



**Threshold ramp (interior)**  
For single-leaf tool sheds: 1090 × 58 mm  
For double-leaf tool sheds: 1720 × 58 mm



**Drain tube set**  
Diameter 25 mm, length 1900 mm



**Drainpipe in RAL colour of tool shed**  
Diameter 40 mm, length 1936 mm



**Glazing elements with plastic panes**  
Frame in white as standard \*, optionally in shed colour, variants with rail elements possible 283 × 203 mm  
\* See page 32 / 34



**Note:**

Dimensions in mm  
Width × depth × height



**Fold-up table set incl. shelf holder set long**  
Fold-up table: 700 × 591 mm  
Shelf holder long: length 1946 mm (2 units)



**Shelf board set incl. shelf holder set short**  
Shelf: 674 × 240 mm (2 units)  
Shelf holder short: length 708 mm (2 units)



**Corner shelf**  
622 × 622 mm



**Tool holder**  
Width 350 mm



**Shelf board set incl. shelf holder set short**  
Device holder: width 674 mm  
Shelf holder short: length 708 mm (2 units)



**Bicycle rack for bicycles up to 40 kg**  
Length 1946 mm



**Aluminium corrugated sheet floor**  
For tool sheds type 1: 752 × 955 mm (3 units)  
For tool sheds type 2: 752 × 1128 mm (6 units)  
For tool sheds type 3: 726 × 1128 mm (8 units)  
For firewood racks type 1: 554 × 720 mm (2 units)  
For firewood racks type 2: 565 × 720 mm (3 units)



**Aluminium base construction for floors**  
For tool sheds type 1: 2243 × 941 × 4 mm  
For tool sheds type 2: 2243 × 2243 × 4 mm  
For tool sheds type 3: 2891 × 2243 × 4 mm  
For firewood racks type 1: 1093 × 705 × 4 mm  
For firewood racks type 2: 1680 × 705 × 4 mm




**Aluminium LED magnetic lamp with movement detector**  
430 × 34 × 16 mm

# Maximum prefabrication

For easy and uncomplicated assembly

With the included tool set, the Hörmann storage space system can be assembled quickly and easily. Thanks to a maximum degree of prefabrication and fewer individual parts, you always stay on top of things.




Rear side:  
3 parts

Roof:  
16 parts

Aluminium  
bottom frame:  
4 parts

Side:  
1 part



For full stability and safe assembly of Hörmann tool sheds and firewood racks, a horizontal substructure is required. The storage space systems are fixed and fitted on a paved, asphalted or concreted surface at least the size of the tool shed. If the substructure is not level, this may lead to restrictions in terms of assembly, functionality and safety.

Please note: Only a stable foundation guarantees full functionality. We recommend a strip foundation of 25 × 80 cm so that the tool shed can withstand wind loads of up to 150 km/h and snow loads of up to 150 kg/m<sup>2</sup>.

#### Structure and fastening of the aluminium bottom frame to the subsurface, shown here using stone slabs

- 1 Dig out and level the lawn to a depth of approx. 10 cm.
- 2 Lay the paving stones and align them with a spirit level.
- 3 Apply the aluminium bottom frame.
- 4 Fasten to the paving stones with the enclosed angle set (16 units) and bolts.

# Experience Hörmann quality in new construction and modernisation

Hörmann provides an excellent basis for comprehensive planning. Carefully matched solutions offer you the very best in perfectly designed products for every area.

**GARAGE DOORS. GATE AND DOOR OPERATORS. ENTRANCE DOORS.  
RESIDENTIAL INTERNAL DOORS. STEEL DOORS. FRAMES.**



Some of the storage space systems shown are equipped with accessories and do not always correspond to the standard version.  
The surface finishes and colours shown are subject to the limitations of the printing process and cannot be regarded as binding. All rights reserved.  
No part may be reproduced without our prior permission. Subject to changes.